



**2017 Ram ProMaster 1500 Cargo Van  
Contract #156  
Price List and Order Form**

**Napleton Fleet Group  
NWMC Suburban Purchasing Cooperative  
www.nwmc-cog.org**

**Please contact Bob Barr at 630-455-2911 or [rbarr@napletonfleet.com](mailto:rbarr@napletonfleet.com)  
prior to purchase order issuance and order placement.**

**Final Order Date for the 2017 Ram ProMaster is 3/9/17**

**Please check-mark the options needed:**

<b>Code</b>	<b>Description</b>	<b>Class</b>	<b>SPC Contract Price</b>
<b>VF1L11 21A</b>	<b>ProMaster 1500 Base Cargo Van, 118" wb, Low Roof</b> Engine: 3.6L Gas V6 24V VVT Transmission: 6-Speed Automatic 62TE 3.16 Axle Ratio GVWR: 8,550 lbs Includes Factory Destination Charge	Base Van	\$21,604
<input type="checkbox"/> <b>VF1L12 21A</b>	<b>Credit to Upgrade Base Van to 136" wb, Low Roof</b> (other specifications same as Base Van above)	OPT	(331)
<input type="checkbox"/> <b>VF1L13 21A</b>	<b>Additional Cost to Upgrade Base Van to 136" wb, High Roof</b> (other specifications same as Base Van above)	OPT	2,473
<input type="checkbox"/> <b>VF1L12 23A</b>	<b>Additional Cost to Upgrade Gas Engine to 3.0L I4 Diesel</b> Engine: 3.0L I4 Eco Diesel Selective Catalytic Reduction (Urea) Transmission: 6-Speed Dual Active Drive (other specifications same as Base Van above)	OPT	10,958
<input type="checkbox"/> <b>VF1L13 23A</b>		OPT	8,958
<b>Wheels &amp; Tires:</b>			
TU4	<b>Tires: 225/75R16C BSW All Season</b>	STD	N/C
WCS	<b>Wheels: 16" x 6.0" Steel</b>	STD	N/C
<input type="checkbox"/> WH8	<b>Wheel Center Cap Delete</b>	OPT	N/C
<input type="checkbox"/> W6A	<b>16" Wheel Covers</b>	OPT	174
<input type="checkbox"/> WDW	<b>Wheels: 16" x 6.0" White Painted Steel</b> Deletes Wheel Center Caps	OPT	89
<input type="checkbox"/> TBF	<b>Spare Tire Delete</b> Includes (XAH) Tire Sealant & Air Compressor	OPT	(27)
<input type="checkbox"/> XAH	<b>Tire Sealant &amp; Air Compressor</b>	OPT	85

<b>Seating:</b>				
	A7	<b>Cloth Bucket Seats</b>	STD	N/C
<input type="checkbox"/>	B7	<b>Vinyl Bucket Seats</b>	OPT	89
<input type="checkbox"/>	CDL	<b>Driver 6-Way Adjustable Lumbar Seat</b>	OPT	129
<input type="checkbox"/>	CDU	<b>Driver/Passenger 6-Way Adjustable Lumbar Seats</b>	OPT	174
<input type="checkbox"/>	CXX	<b>Driver Suspension Seat</b>	OPT	307
<input type="checkbox"/>	CEA	<b>Driver Swivel Seat</b> Requires CHR	OPT	530
<input type="checkbox"/>	CMB	<b>Heated Driver Seat</b> Requires CDL or CDU	OPT	151
<input type="checkbox"/>	CHR	<b>Passenger Swivel Seat</b> Requires CEA	OPT	530
<input type="checkbox"/>	CMC	<b>Heated Passenger Seat</b> Requires CDU and CMB	OPT	151
<input type="checkbox"/>	CD9	<b>Passenger Seat Delete</b> Deactivate Passenger Air Bag Delete Seat Belt Mount	OPT	(267)
<input type="checkbox"/>	CAA	<b>Passenger Double Seat</b>	OPT	263
<b>Radio &amp; Navigation:</b>				
	RH3	<b>Radio: AM/FM/MP3</b>	STD	N/C
<input type="checkbox"/>	RA2	<b>Radio: Uconnect 5.0</b> 4 Speakers 5.0" Touchscreen Display GPS Antenna Input Media Input Hub Integrated Voice Command w/Bluetooth Steering Wheel Mounted Audio Controls	OPT	485
<input type="checkbox"/>	JLN	<b>GPS Navigation</b> Requires RA2 radio	OPT	352
<input type="checkbox"/>	RSD	<b>SIRIUSXM Satellite Radio</b> Requires RA2 radio	OPT	174
<input type="checkbox"/>	RA9	<b>Radio: Wiring Prep</b> 4 Speakers, Media Input Hub	OPT	-0-
<input type="checkbox"/>	RA8	<b>Radio Delete</b>	OPT	(45)
<b>Cargo Area:</b>				
<input type="checkbox"/>	LCP	<b>Cargo Area LED Lighting</b>	OPT	254
<input type="checkbox"/>	CWC	<b>Cargo Partition</b>	OPT	307
<input type="checkbox"/>	XJ1	<b>Cargo Partition with Sliding Window</b>	OPT	441
<input type="checkbox"/>	HDG	<b>Rear Heater - A/C Prep Package</b>	OPT	129

**Cargo Area (continued):**

<input type="checkbox"/>	CMG	<b>Side Wall Paneling, Lower</b>	OPT	174
<input type="checkbox"/>	CTE	<b>Side Wall Paneling, Upper &amp; Lower</b>	OPT	174
<input type="checkbox"/>	XMF	<b>Spray-On Floor Liner</b> Late availability	OPT	761
<input type="checkbox"/>	CME	<b>Wood Floor</b>	OPT	396
<b>Functional:</b>				
	APA	<b>Monotone Paint</b>	STD	N/C
<input type="checkbox"/>	GXK	<b>Two Additional Key Fobs</b> (for total of four)	OPT	111
<input type="checkbox"/>	JKP	<b>12V Rear Auxiliary Power Outlet</b>	OPT	40
<input type="checkbox"/>	BAJ	<b>220 Amp Alternator</b> For gas engine only, standard with Diesel Engine	OPT	174
<input type="checkbox"/>	HCD	<b>Air Conditioning Delete</b>	OPT	(165)
<input type="checkbox"/>	BC1	<b>Auxiliary Battery Prep</b>	OPT	85
<input type="checkbox"/>	LHL	<b>Auxiliary Switches</b> Late availability	OPT	85
<input type="checkbox"/>	LMK	<b>Daytime Running Headlamps</b>	OPT	45
<input type="checkbox"/>	ACL	<b>DOT Certified Roadside Safety Kit</b>	OPT	147
<input type="checkbox"/>	NHK	<b>Engine Block Heater – Gas Engine</b>	OPT	85
<input type="checkbox"/>	NHK	<b>Engine Block Heater – Diesel Engine</b>	OPT	174
<input type="checkbox"/>	GKB	<b>Fixed Glass in Right Sliding Cargo Door</b>	OPT	174
<input type="checkbox"/>	GLB	<b>Fixed Glass in Rear Cargo Doors</b>	OPT	174
<input type="checkbox"/>	GFA	<b>Rear Window Defroster</b> Requires GLB Rear Cargo Door Glass	OPT	174
<input type="checkbox"/>	AJV	<b>Interior Convenience Group</b> Locking Glove Box Shelf Above Roof Trim Underseat Storage Tray Windshield Document Holder	OPT	263
<input type="checkbox"/>	MEP	<b>Mud Flaps, Front and Rear</b>	OPT	89
<input type="checkbox"/>	MKN	<b>Splash Guards, Front and Rear</b>	OPT	191
<input type="checkbox"/>	XAA	<b>ParkSense Rear Park Assist System</b>	OPT	263
<input type="checkbox"/>	XAC	<b>ParkView Rear Back-Up Camera</b> Requires RA2 radio	OPT	236
<input type="checkbox"/>	GTR	<b>Power Folding/Heated Mirrors</b>	OPT	218

**Functional (continued):**

<input type="checkbox"/>	ALU	<b>Premium Appearance Group</b> Fog Lamps Silver Grille	OPT	307
<input type="checkbox"/>	CSR	<b>Rear Assist Handles</b>	OPT	134
<input type="checkbox"/>	LSA	<b>Security Alarm</b>	OPT	441
<input type="checkbox"/>	NHM	<b>Speed Control</b>	OPT	263
<input type="checkbox"/>	AHT	<b>Trailer Tow Group</b> Class V Receiver Hitch 7 & 4 Pin Wiring Harness	OPT	521
<input type="checkbox"/>	GTB	<b>Wide Power Heated Mirrors</b> 96" Extended Exterior Mirror	OPT	174

**Interior Color:**

AA	<b>Gray</b>	STD	N/C
----	-------------	-----	-----

**Exterior Color:**

<input type="checkbox"/>	PW7	<b>Bright White Clearcoat (White Knuckle)</b>	OPT	N/C
<input type="checkbox"/>	PX8	<b>Black Clearcoat (Pitch Black)</b>	OPT	N/C
<input type="checkbox"/>	PS2	<b>Bright Silver Metallic Clearcoat</b>	OPT	N/C
<input type="checkbox"/>	P67	<b>Broom Yellow</b>	OPT	N/C
<input type="checkbox"/>	PRP	<b>Deep Cherry Red Crystal Pearlcoat</b>	OPT	N/C
<input type="checkbox"/>	PR4	<b>Flame Red Clearcoat</b>	OPT	N/C
<input type="checkbox"/>	PAU	<b>Granite Crystal Metallic Clearcoat</b>	OPT	N/C
<input type="checkbox"/>	PFS	<b>Sandstone Pearlcoat</b>	OPT	N/C
<input type="checkbox"/>	PBU	<b>True Blue Pearlcoat (Blu By You)</b>	OPT	N/C

**Delivery:**

<input type="checkbox"/>	Within 50 Miles of Dealership (zip code 60559)	STD	N/C
<input type="checkbox"/>	Greater than 50 miles from Dealership	OPT	175

**License and Title Options:**

<input type="checkbox"/>	No Plates (customer does L&T)	STD	STD
<input type="checkbox"/>	Temporary Tag provided by Napleton Fleet (customer does L&T)	OPT	-0-
<input type="checkbox"/>	Municipal Plates (Napleton Fleet does L&T for customer)	OPT	130
<input type="checkbox"/>	Municipal Police Plates (Napleton Fleet does L&T for customer)	OPT	130

**Total Vehicle Cost per selected options** ..... \$ \_\_\_\_\_

**Service Information (Windows operating system only, not compatible with Mac):**

2017 Service Manual on CD (subject to late availability) OPT

135

Municipality: \_\_\_\_\_

Contact Name: \_\_\_\_\_

Phone Number: \_\_\_\_\_

Email: \_\_\_\_\_

Date: \_\_\_\_\_

**Fiat Chrysler Automobiles Ram ProMaster 1500 Factory Warranty**

**Basic.....36 months/ 36,000 miles**

**Powertrain....60 months/100,000 miles**

**Corrosion Perforation.....All Panels, 36 months**

**Corrosion Perforation.....Outer Panels, 60 months**

Please scan and email to [rbarr@napletonfleet.com](mailto:rbarr@napletonfleet.com) or print and fax to 630-530-0562

**Please contact Bob Barr prior to purchase order issuance and order placement.**

# 2017 RAM ProMaster 1500 Cargo Van 118" wb, Low Roof

## Standard Equipment

### Powertrain

- 3.6L V-6 DOHC SMPI 24 valve engine with variable valve control
- 180 amp alternator
- 700 amp 95 amp hours battery with run down protection
- Engine oil cooler, transmission oil cooler
- 6-speed electronic sequential shift control automatic transmission with overdrive, lock-up, driver selection
- Front-wheel drive
- Brake actuated limited slip differential, ABS & driveline traction control
- 3.16 axle ratio
- Stainless steel exhaust

### Steering and Suspension

- Hydraulic power-assist rack and pinion steering
- 4-wheel disc brakes with front and rear vented discs
- Electronic stability control with anti-roll
- Independent front suspension
- Front strut suspension
- Front anti-roll bar
- Front coil springs
- Gas-pressurized front shocks
- Rigid rear axle
- Rear leaf suspension
- Rear leaf springs
- Gas-pressurized rear shocks
- Front and rear 16.0" x 6.00" silver steel wheels with hub covers
- 225/75R16.0 BSW AS
- Underbody mounted full-size steel spare wheel

### Safety

- 4-wheel anti-lock braking system
- Dual airbags, seat mounted driver and passenger side-impact airbags, curtain 1st row overhead airbag
- Front height adjustable seatbelts with front pre-tensioners
- Immobilizer

### Comfort and Convenience

- Air conditioning
- AM/FM stereo, seek-scan, external memory control, 4 speakers, integrated roof antenna
- Power door locks with 2 stage unlock, key fob (all doors) keyless entry, tailgate/rear door lock included with power door locks
- One 12V DC power outlet, driver foot rest
- Analog instrumentation display includes tachometer, engine temperature gauge, in-dash clock, exterior temp, trip computer, Trip odometer
- Warning indicators include oil pressure, engine temperature, battery, low oil level, low coolant, lights on, key, low fuel, Lighting malfunction, door ajar, trunk/lift gate ajar, service interval, brake fluid, tire specific low tire pressure, brake pad wear
- Steering wheel with telescopic adjustment
- Power front windows with light tint, driver and passenger 1-touch down
- None front windshield wipers
- Day-night rearview mirror
- Interior lights include dome light with fade, front reading lights, illuminated entry
- Glove box, front cup holder, instrument panel bin, dashboard storage covered, driver and passenger door bins
- Cargo tie downs, cargo light

## Seating and Interior

- Seating capacity of 2
- Bucket front seats with fixed head restraints
- 4-way adjustable driver seat
- 4-way adjustable passenger seat
- Cloth faced front seats with vinyl back material
- Front cloth headliner, front vinyl/rubber floor covering, urethane gear shift knob

## Exterior Features

- Side impact beams, fully galvanized steel body material
- Gray body side molding, gray fender flares
- Black side window moldings
- Black door handles
- Gray grille
- 3 doors with sliding rear passenger's side door split swing-out rear cargo door
- Trailer sway control
- Driver and passenger manual black convex spotter folding trailer outside mirrors with turn signal indicators
- Front and rear gray bumpers, with rear step
- Aero-composite halogen headlamps with multiple headlamps
- Additional exterior lights include cab clearance lights
- Clear coat monotone paint

## Dimensions and Capacities

Output.....	280 hp @ 6,400 rpm	Front axle capacity.....	4,600 lbs.
Torque.....	258 lb.-ft. @ 4,175 rpm	Rear axle capacity.....	5,250 lbs.
1st gear ratio.....	3.900	Towing capacity.....	5,100 lbs.
2nd gear ratio.....	2.690	Front legroom.....	38.8 "
3rd gear ratio.....	2.160	Front shoulder room.....	74.8 "
4th gear ratio.....	1.370	Length.....	195.4 "
5th gear ratio.....	.950	Body width.....	80.7 "
6th gear ratio.....	.650	Body height.....	88.7 "
Reverse gear ratio.....	3.040	Wheelbase.....	118.0 "
Curb weight.....	4,551 lbs.	Cab to axle.....	88.7 "
GVWR.....	8,550 lbs.	Axle to end of frame.....	40.0 "
Front GAWR Weight.....	4,630 lbs.	Front track.....	71.3 "
Rear GAWR Weight.....	5,004 lbs.	Rear track.....	70.5 "
Payload.....	3,990 lbs.	Turning radius.....	36.3 '
Front curb weight.....	2,920 lbs.	Fuel tank.....	24.0 gal
Rear curb weight.....	1,632 lbs.	Interior cargo volume.....	259.0 cu.ft.